


Internal NVMe Series

Model No.	Molding	Description	Disk Drive	RAID Level	Interface	LCD Display	Remark
iU2300-U6P3		Internal 2Bay M.2 NVMe JBOD Module 2 x M.2 NVMe SSD, with Removable tray (9.5mm) w/ key-lock,	2 * M.2 NVMe SSD	JBOD	2 x SFF8643 (miniSAS)	X	Supports M.2 NVMe SSD : 2242/2260/2280 Form factor 1 x 5.25inch CD-ROM
HiU2300	 	Internal 2Bay M.2 NVMe JBOD Module 2 x M.2 NVMe SSD, with Removable tray (9.5mm) w/ key-lock, Package including 1 x iU2300-U6P3 1 x PC05-U6P3-I (Ultra-Fast 40Gbps dual channel) 2 x miniSAS Cable (30cm)	2 * M.2 NVMe SSD	JBOD	2 x SFF8643 (miniSAS)	X	Supports M.2 NVMe SSD : 2242/2260/2280 Form factor 1 x 5.25inch CD-ROM
HiU2300P	 	Internal 2Bay M.2 NVMe JBOD Module 2 x M.2 NVMe SSD, with Removable tray (9.5mm) w/ key-lock, Package including 1 x iU2300-U6P3 1 x PC05-U6P3P-I (Ultra-Fast 80Gbps dual channel) 2 x miniSAS Cable (30cm)	2 * M.2 NVMe SSD	JBOD	2 x SFF8643 (miniSAS)	X	Supports M.2 NVMe SSD : 2242/2260/2280 Form factor 1 x 5.25inch CD-ROM
iU1776-U6P3		Internal 1bay NVMe JBOD Mode with new design of 2.5" Removable Metal tray w/ key-lock	1 * M.2 NVMe SSD or 1 * U.2 NVMe SSD	JBOD	1 x SFF8643 (PCIe Gen3x4)	X	Supports 2242/2260/2280 M.2 NVMe SSD Supports the drive height under 9.5mm Form factor 1 x 3.5 inch HDD

iT1775C-S3		Internal 1bay SATA 6G JBOD Module with new design of 2.5" Removable Metal tray w/ key-lock	1* 2.5" SATA Drive	JBOD	1 x SATA 7pin 1 x USB Type-C	X	Form factor 1 x 3.5 inch HDD
HiU1776	   	Internal 1Bay M.2 NVMe JBOD Module with miniSAS interface 1 x M.2 NVMe SSD, with Removable tray (9.5mm) w/ key-lock, Package including 1 x iU1776-U6P3 1 x PC05-EZ-I 1 x miniSAS Cable (30cm)	1 * M.2 NVMe SSD	JBOD	1 x SFF8643 (miniSAS)	X	Supports M.2 NVMe SSD : 2242/2260/2280 Form factor 1 x 3.5 inch HDD
MiU1776-P4		Internal 1Bay M.2 NVMe JBOD Module with MCIO interface 1 x M.2 NVMe SSD, with Removable tray (9.5mm) w/ key-lock, Package including 1 x iU1776-U6P3 1 x MAP6-EZ 1 x MCIO to miniSAS Cable	1 * M.2 NVMe SSD	JBOD	1 x M.2 M-key	X	Supports M.2 NVMe SSD : 2242/2260/2280 Form factor 1 x 3.5 inch HDD

MiUM1776	 	Internal 1Bay M.2 NVMe JBOD Module with MCIO interface 1 x M.2 NVMe SSD, with New Removable M.2 tray (9.5mm) w/ key-lock, Package including 1 x iUM1776 1 x MAP6-EZ 1 x MCIO to MCIO Cable	1 * M.2 NVMe SSD	JBOD	1 x M.2 M-key	X	Supports M.2 NVMe SSD : 2230/2242/2260/2280 Form factor 1 x 3.5 inch HDD
iUM1776		Internal 1Bay M.2 NVMe JBOD Module with MCIO interface 1 x M.2 NVMe SSD, with New Removable M.2 tray (9.5mm) w/ key-lock	1 * M.2 NVMe SSD	JBOD	1 x MCIO (SFF-TA-1016)	X	Supports M.2 NVMe SSD : 2230/2242/2260/2280 Form factor 1 x 3.5 inch HDD